

EKSPLUATĀCIJAS ĪPAŠĪBU DEKLARĀCIJA **N. CPR-IT1/0433**

- 1) Unikāls produkta tipa identifikācijas kods: **MAPEFLOOR CPU/HD**
- 2) Paredzētais pielietojums: **Ar polimēriem modificēts trīskomponentu cementa bāzes grīdu izveides materiāls iekštelpām**
- 3) Ražotājs: MAPEI S.p.A. – **Via Cafiero, 22 – 20158 Milan – Italy - www.mapei.it**
- 4) Sistēma AVCP: **Sistēma 4
Sistēma 3, ugunsdrošības noteikšanai**
- 5) Vienotais standarts: EN 13813:2002

Izpildinstitūcijas: **Laboratorija CSI S.p.A., N. 0497, veikusi novērtējumu (uguns reakcijas noteikšana), pamatojoties uz testa paraugiem, ko iesniedzis ražotājs.**

- 6) Deklarētās veiktspējas īpašības:

Būtiskākie raksturlielumi	Ekspluatācijas īpašības
Uguns reakcija:	Klase B_{FL}-s1
Kodīgu sastāvdaļu izdalīšanās:	CT
Ūdens caurlaidība:	Klase III:
Ūdens tvaiku caurlaidība:	NPD
Spiedes stiprība:	C50
Lieces stiprība:	F10
Noturība pret berzi:	AR0,5
Skaņas izolētspēja:	NPD
Skaņas absorbētspēja:	NPD
Termālā noturība:	NPD
Ķīmiskā noturība:	No CR9 līdz CR12 (2. klase)

Augstāk norādītā produkta veiktspēja atbilst deklarētajām īpašībām.

Šī ekspluatācijas īpašību deklarācija ir izsniegta saskaņā ar Regulu (ES) Nr 305/2011, ar pilnu iepriekš norādītā ražotāja atbildību.

Parakstīts ražotāja vārdā: Paolo Murelli – Korporatīvā Kvalitātes Vadība

Milāna, 23/02/2017



EĪD PDF formātā ir pieejamas Mapei mājas lapā

Pārskats 1

Nemainīts produkts, EĪD izkārtojums un veiktspēja ir atjaunināta.

MAPEFLOOR CPU/HD
CE MARKING
Annex to DoP N. CPR-IT1/0433



 0497	 Via Cafiero, 22 – 20158 Milano (Italy) www.mapei.it
14 CPR-IT1/0433 EN 13813 MAPEFLOOR CPU/HD <i>Three-component cementitious screed material modified by polymers for internal use in floor construction</i>	
Reaction to fire:	Class BFL-s1
Release of corrosive substances:	CT
Water permeability:	Class III
Water vapour permeability:	NPD
Compressive strength:	C50
Flexural strength:	F10
Wear resistance:	AR0,5
Sound insulation:	NPD
Sound absorption:	NPD
Thermal resistance:	NPD
Chemical resistance:	From CR9 to CR12 (Class 2)

Note:

MAPEI nodrošina šo pielikumu kopā ar EĪD, lai atvieglotu CE marķējuma skaidrojumu starptautiskajiem klientiem. Pievienotais CE marķējums var būt nedaudz atšķirīgs, salīdzinot ar to, kas norādīts uz attiecīgā iepakojuma vai dokumentācijas, jo:

- Dēļ grafiskā pielāgojuma uz iepakojuma vai izmantotās drukāšanas metodes,
- Dēļ valodu atšķirības (viens iepakojums vairākām valstīm),
- produkts ir jau krājumā uz brīdi, kad tiek ieviests CE marķējuma atjauninājums,
- Drukas kļūdas dēļ.

DECLARATION OF PERFORMANCE N. CPR-IT1/0433

- 1) Unique identification code of the product-type: **MAPEFLOOR CPU/HD**
- 2) Intended uses: **Three-component cementitious screed material modified by polymers for internal use in floor construction**
- 3) Manufacturer: **MAPEI S.p.A. – Via Cafiero, 22 – 20158 Milan – Italy - www.mapei.it**
- 4) Systems of AVCP: **System 4**
System 3 (for reaction to fire)
- 5) Harmonized standards: **EN 13813:2002**

Notified bodies: **the notified laboratory CSI S.p.A., N. 0497, carried out the assessment of the performance (reaction to fire) on the basis of testing on samples taken by the manufacturer.**

- 6) Performances declared:

Essential characteristics	Performances
Reaction to fire:	Class B_{FL}-s1
Release of corrosive substances:	CT
Water permeability:	Class III
Water vapour permeability:	NPD
Compressive strength:	C50
Flexural strength:	F10
Wear resistance:	AR0,5
Sound insulation:	NPD
Sound absorption:	NPD
Thermal resistance:	NPD
Chemical resistance:	From CR9 to CR12 (Class 2)

The performance of the product identified above is in conformity with the set of declared performances.

This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: **Paolo Murelli – Corporate Quality Management**

Milan, 23/02/2017





DoP in Pdf format are available in the Mapei website.

Revision 1 notes:	Unchanged product, Dop's layout and performance declared updated .
--------------------------	---

MAPEFLOOR CPU/HD
CE MARKING
Annex to DoP N. CPR-IT1/0433



 0497	 Via Cafiero, 22 – 20158 Milano (Italy) www.mapei.it
14 CPR-IT1/0433 EN 13813 MAPEFLOOR CPU/HD <i>Three-component cementitious screed material modified by polymers for internal use in floor construction</i>	
Reaction to fire: Release of corrosive substances: Water permeability: Water vapour permeability: Compressive strength: Flexural strength: Wear resistance: Sound insulation: Sound absorption: Thermal resistance: Chemical resistance:	Class BFL-s1 CT Class III NPD C50 F10 AR0,5 NPD NPD NPD From CR9 to CR12 (Class 2)

Note:

MAPEI supplies the current annex along with the DoP to make the consultancy of the CE marking easier for the international clients. The enclosed CE marking can be slightly different compared to the one printed on the relevant packaging or documentation because of:

- graphic adaptations due to lack of space on the packaging or printing methods used,
- different language (the same packaging can be shared by several countries),
- the product is already in stock when the updating of the CE marking is implemented,
- printing mistakes.